

Cercyon quisquilius Linn. and *Cryptopleurum minutus* Fab.—Two Hydrophyllids living in cowdung, where they are predacious on other insects. More or less cosmopolitan species.

Oryctelus sculptus Grav.—A Staphilinid found in cowdung. A cosmopolitan species.

These are the first published records of these beetles in Hawaii. However, *Ataenius cognatus* is the beetle recorded in the Fauna Hawaianensis as *A. stercorator* (Fab.). The six following species of the list have not been previously recorded, but their presence has been known for a number of years, so that they are not to be considered as newly arrived immigrants.

Report of Committee on Common Names of Economic Insects in Hawaii.

In the preparation of its report this Committee has found it advisable to make a few corrections to the list of common names adopted by the Society on March 6, 1913 (published in these Proceedings, vol. 2, pp. 296-300), as well as to present many new names. The correction of the old names has been made necessary through increased knowledge of the habits, distribution, etc., of the insects, or because the old name has proved to be of too general application. Whenever possible a name already in use here or elsewhere has been adopted, especially for the insects found in the lists of common names adopted by the American Association of Economic Entomologists.

P. H. TIMBERLAKE,
EDW. M. EHRIHORN,
O. H. SWEZEY,
Committee.

COLEOPTERA.

Algaroba (or Mesquite) weevil.....	<i>Bruchus proposis</i> Le Conte.
Algaroba (or Mesquite) borer.....	<i>Cylleene erinieornis</i> Chevrolat.
Australian fern weevil.....	<i>Syagrius fulvitarsis</i> Pascoe.
Cadelle (or mealworm).....	<i>Tenebroides mauritanicus</i> (Linnaeus)
Chinese rose beetle.....	<i>Adoretus sinieus</i> Burmeister.
Dolichos weevil.....	<i>Bruchus phaseoli</i> Gyllenhal.
Drug-store beetle.....	<i>Sitodrepa panicea</i> (Linnaeus)
Dried-fruit beetle.....	<i>Carpopophilus hemipterus</i> (Linnaeus)
Fijian Ginger weevil.....	<i>Elytroteinus subtruncatus</i> (Fairmaire)
Four-spotted bean weevil.....	<i>Bruchus quadrimaculatus</i> (Fabricius)
Glue bush weevil.....	<i>Bruchus sallaei</i> Sharp.
Granary weevil.....	<i>Sitophila grauaria</i> Linnaeus.
Gray Acacia * weevil.....	<i>Bruchus pruininus</i> Horn.
Leather beetle.....	<i>Dermestes vulpinus</i> Fabricius.
Little Coconut weevil.....	<i>Dioealandra taitense</i> (Guerin)
Mango weevil.....	<i>Sternoechetus mangiferae</i> (Fabricius)
Mexican bean weevil.....	<i>Spermophagus pectoralis</i> Sharp.
Mexican bookworm.....	<i>Catorama Mexicana</i> Chevrolat.
Monkey-pod borer.....	<i>Xystroceria globosa</i> (Olivier)
Monkey-pod weevil.....	<i>Bruchus limbatus</i> Horn.
Rice weevil.....	<i>Sitophila oryzae</i> Linnaeus.
Rusty flour beetle.....	<i>Tribolium ferrugineum</i> Fabricius.
Sweet potato weevil.....	<i>Cylas elegantulus</i> Summers.
Tamarind weevil.....	<i>Caryoborus gonager</i> (Fabricius)
Tamarind snout weevil.....	<i>Sitophila linearis</i> Herbst.
Wardrobe beetle.....	<i>Attagenus gloriosae</i> (Fabricius)
West Indian sweet-potato weevil...	<i>Euscepes batatae</i> (Waterhouse)

HEMIPTERA.

Araucaria mealybug.....	<i>Eriococcus araueariae</i> Maskell.
Aster-root aphid.....	<i>Aphis middletonii</i> Thomas.
Bur-clover aphid.....	<i>Aphis medicaginis</i> Koch.
Brown citrus aphid.....	<i>Myzus citrioides</i> Kirkaldy.
Cinnamon scale.....	<i>Eucalymnatus tessellatus</i> (Signoret)
Cotton (or melon) aphid.....	<i>Aphis gossypii</i> Glover.
Greenhouse whitefly.....	<i>Asterochiton vaporariorum</i> (Westwood)
Hibiscus whitefly.....	<i>Pealius hibisci</i> (Kotinsky)
Japanese mealybug.....	<i>Pseudoeococcus kraunhae</i> (Kuwana)
Palm (or orchid) aphid.....	<i>Cerataphis lataniae</i> (Boisduval)
Soft brown scale.....	<i>Coccus hesperidum</i> Linnaeus.
Giffard's whitefly	<i>Bemisia giffardi</i> (Kotinsky)

LEPIDOPTERA.

Cereal moth.....	<i>Ephestia elutella</i> Hübner.
Diamond-back moth.....	<i>Plutella maculipennis</i> Curtis.
False pink boll-worm.....	<i>Pyroderces rileyi</i> (Walsingham)
Hawaiian tobacco worm.....	<i>Phlegothontius blackburni</i> (Butler)
Koa seed worm.....	<i>Crytophlebia illepida</i> (Butler)
Mediterranean flour-moth.....	<i>Ephestia kuhniella</i> Zeller.
Pink boll-worm.....	<i>Polyedra gossypiella</i> (Saunders)
Potato-tuber moth (or tobacco split-worm)	<i>Phthorimaca operculella</i> (Zeller)

DIPTERA.

Cane-borer parasite.....	<i>Ceromasia sphenophori</i> Villeneuve.
Cow-dung sarcophaga	<i>Sarcophaga pallinervis</i> Thomson.
Dung sarcophaga.....	<i>Sarcophaga haemorrhoidalis</i> Fallen.
Serpentine leafminer.....	<i>Agromyza pusilla</i> Meigen.

MISCELLANEOUS.

African mole-cricket	<i>Gryllotalpa africana</i> Fabricius
Bedbug	<i>Cimex lectularius</i> Linnaeus.
Hen-flea	<i>Echidnophaga gallinacea</i> (Westwood)

HYMENOPTERA.

Bruchid egg-parasite.....	<i>Useana scmfumipennis</i> Girault.
Cattleya-fly	<i>Harmolita orchidearum</i> (Westwood)
Chinese Dryinid	<i>Pseudogonatopus hospes</i> Perkins.
Corn leafhopper parasite.....	<i>Paranagrus osborni</i> Fullaway.
Crazy ant	<i>Prenolepis longicornis</i> (Latreille)
Formosan ootetrastrichus.....	<i>Ootetrastrichus formosanus</i> Timberlake
Guinea ant	<i>Tetramorium guineense</i> (Fabricius)
Little yellow ant.....	<i>Plagiolepis exigua</i> Forel. ✓
Oriental mealy-bug parasite.....	<i>Pauridia peregrina</i> Timberlake.
Sicilian mealy-bug parasite.....	<i>Tanaomastix abnormis</i> (Girault.)
Scolia wasp.....	<i>Scolia manilae</i> Ashmead.